

# **STANDARD CLUSTER**

Claw SF360AF + short round liner type Gea Westfalia\* type Milkrite\*



**Round liners** 

7021-2725-270

IP14U or IP14U-Air

FLEX 50

DK1X

Claw SF360AF + mono block round liner

STANDARD CLUSTER



7022-2725-150 7022-2725-220 7022-2725-230

IP14U or IP14U-Air IPS10U - SILICON LINER



size: 44 x 27 x 147 mm Special shell and ring

Short air tubes

Short milk tubes

Twin pulse tube


recommended: Ø 7 x 14 mm or Ø 8 x 16 mm

Claw SF360AF

Milk tube

recommended: Ø 16 mm

Glass connector



✓ ANATOMICAL

An anatomical fitting arrange-


ment of claw's & vacuum dis-

tributor nozzles to the cow's

**FITTING** 

udder.

standard



### Stainless steel shells

size: 44 x 27 x 147 mm size: 50,8 x 19 x 140 mm size: 42,5 x 19 x 140 mm Special shell and ring

Short air tubes

Twin pulse tube

recommended: Ø 7 x 14 mm or Ø 8 x 16 mm

### Claw SF360AF


### Milk tube

recommended: Ø 16 mm

## ✓ GREATER OPPORTUNITIES - COMFORT

during alternative milking, you can receive the next portion of milk. get different milking speed of the

SF360AF allows for more comfort- : front and rear quarters. When milk able work. The compact vacuum dis- : ing simultaneously, the pressure tributor is made of nylon in the con- : drops during massage, similar to the struction enabling both **alternative** in natural feeding of the calf. Thanks to milking (forward - backward) and the increased capacity and efficiency of milk collection, the collector pro-By applying different frequencies · vides a full vacuum canister ready to





<sup>\*</sup> References to other manufacturers by their company names, trademarks or product references are for identification purposes and are used only to indicate the intended purpose of Agri Patria products and their compatibility with the equipment of those manufacturers













capacity	360 ml
weight	433 g
material	polysulfone Radel PPSU
vacuum drop	+/- 0,2 kPa
flow at 42 kPa	20 l/min
outlet ID	Ø 16 mm
nipples inlet OD	Ø 14,5 mm
nipples shape	diagonal cut
nipples angle	45°
shut-off	without valve
bracket	ACR
pulsation cross	front/rear



short air tube	7 mm x 14 mm
twin pulse tube	7 mm x 14 mm or 8 mm x 16 mm
milk tube	16 mm x 27 mm

Materials used in the manufacturing process have necessary attestations and hygienic clearance certifications allowing the product to contact milk. More information: www.agripatria.com/support

SF360AF is not authorised for sale in: AU, BE, CA, DE, ES, FR, GB, IE, IT, JP, MX, NL, NZ, SE, US

